




Casey Concrete

caseyconcrete.ca

445 x 445 mm (17.5 x 17.5 in.) EC-STONE PATIO PAVER




CASEY-MIX




CHARCOAL



NATURAL GREY




GRANITE




SAND-CHARCOAL

60 mm
(2.375 in.)


SIDE VIEW



DETAIL OF "A"



DETAIL OF "B"



DETAIL OF "C-C"

PLEASE NOTE:

Products are made from natural material sources and therefore colour variations are common.
Efflorescence is also a common occurrence with all concrete and concrete products.
Efflorescence does not affect the quality of the product and will fade over time or can be removed with cleaning products.

DIMENSIONAL TOLERANCES:

Meets the requirements of
CSA A231.2 Concrete Pavers
Length: -1 to +2 mm Width: -1 to +2 mm
Height: -3 to +3 mm

PHYSICAL PROPERTIES:

Meets the requirements of CSA A231.2 Concrete Pavers
Compressive Strength: Min. 50 MPa @ 28 Days
Absorption (%): 5.5 % Maximum @ 28 Days
Freeze/Thaw: Not exceed 1% weight loss

AVAILABILITY:

Available in brick, smooth and stone
textured top surface in 60 mm thickness
Weight Per Piece: 28.3 kg (62 lbs)

DETAILS:

Pieces Per Pallet: 48
Coverage Per Piece:
2.13 sq. ft (103 sq. ft per pallet)

DE-ICING SALT DURABILITY MASS LOSS (max.):

225 g/m² after 28 cycles, or
500 g/m² after 49 cycles

